COREDELUXE INF BARBELLS &LOADABLE BARBELLS




FROM ONE STAGE TO ANOTHER

TRUE STRENGTH



TRUE STRENGTH KNOWS WHAT'S ESSENTIAL




PRODUCT OVERVIEW

Coredeluxe IWF Barbells are Olympic Weightlifting type Bar includes a unique finish with official International Weightlifting Federation (IWF) branding on both the center of the shaft and the endcaps. These coredeluxe IWF Barbells are approval from the IWF for use in men / women competition. Each Coredeluxe IWF Barbell is machined and assembled in Xiamen, P.R.C., and features a both 235,000PSI high tensile strength and 215,000 PSI yield strength steel shaft, high quality needle bearings, Olympic Knurl and top-levelled sleeves with loadable length. The exclusive Coredeluxe knurl pattern (there is no center knurl) is precision-cut for a firm grip without the sharpness or abrasiveness of many import bars. We firmly believe the Coredeluxe IWF Barbells (Olympic Weightlifting Bar ranks) among the best bearing bars in the industry for feel, durability, and performance. Its approval from the IWF further proves the high standard to which it's held. Please Note: Coredeluxe IWF Barbells have an excellent resistance to corrosion, but metal-to-metal contact, particular on the sleeves, can still cause wear over time. For the best long term results, some cleaning and maintenance may be required.

Features

- 1. Coredeluxe IWF barbells are produced by top quality, upper level standard alloy stainless steel with high qualiy germany bearing. Made in Xiamen, P.R.C with International Weightlifting Federation standards.
- 2. Coredeluxe IWF barbells are Olympic Knurl Marks (no center knurl).
- 3. Coredeluxe IWF barbells (training bars) are specially designed for professional applications and are finished to a high standard. These barbells are excellent for heavy strength training. Good grip-resistant, with Olympic and powerlifting markings and the smooth bearing with brass bushings ensure excellent ease of use.
- 4. IWF Standard, Quality, IWF Standard and quality give you best Olympic feeling.
- 5.Suitable for almost all Olympic 50 mm weight plates and using as professional training barbell bar for heavy strength training.
- 6. Coredeluxe IWF Barbells are high-quality finish with a wear-resistant matte nickel-phosphor coating. Ends and rubber caps with weight indication and colour code. Avaiable in 20KG /15KG (Men/Women) weight size.





Weightlifting, also called Olympic style game, is an athletic sport in modern Olympic games since 1920; two competitions are the snatch and the clean and jerk.

GYMWAY Weightlifting series, with its bumper plates, has been tested 30,000 dropping times without deforming, the best choice for heavy duty lifting.



PRODUCT OVERVIEW

Coredeluxe loadable barbells are compatible with standard olympic plates and / or our coredeluxe dumbbell bumpers. Coredeluxe loadable barbells condense the key design and manufacturing elements of our full-size Coredeluxe Bar into a compact, versatile new format. As an alternative to storing a complete set of traditional barbells in your gym, the DLS-10 and DLS-15 barbell offer loadable sleeve lengths of 3.625" and 6.75" respectively - enabling athletes to make precision, custom weight adjustments in their barbell training using any standard Olympic plates as the increments.

We coredeluxe have also developed a new type of cylindrical 230mm diameter plate—the Coredeluxe Barbbell Bumper—manufactured specifically for use with the Loadable Barbell. Note, only the 10LB and 15LB Barbell Bumpers are compatible with the DLS-10 due to the reduced sleeve length.

The DLS-10 and DLS-15 are offered individually and are available in two shaft finishes: Black Zinc or Stainless Steel (all variations have a Bright Zinc sleeve finish). Customers can also add a set of coredeluxe OSO Collars when they are placing an order due to that reason using a set of collars is highly advised for securing the weight onto the barbell.









Material: alloy stainless steel

Weight tolerance: +/- 0.1% of its claimed weight

Diameter: 28mm

Tensile strength: 235,000PSI

Viald strangth: 215 000DS

Weight

3.4KG(DLS-7.5), 4.5KG(DLS-10), 6.8KG(DLS-15), 10KG(DLS-25)

Country of origin: Xiamen,P.R.C